



"औद्योगिक, पर्यटकीय र हरित नगर, स्वच्छ, सुरक्षित र समृद्ध नगर"

दमक नगरपालिका नगर कार्यपालिकाको कार्यालय



प.सं.: ०८२१०८३
च.नं.: ६२६३

दमक, झापा,
कोशी प्रदेश, नेपाल

०२३-५९७०००

मिति २०८३।०३।२७

श्री सबै सूचीकृत आपूर्तिकर्ताहरू ।

विषय : लागत मुल्य (दररेट) पेश गर्ने सम्बन्धि सूचना ।

प्रस्तुत विषयमा यस दमक नगरपालिका वडा नं. ४ स्थित दाहाल प्रतिष्ठानको सामुदायिक भवनमा एयरकन्डिसन तथा वासिङ्ग मेशिन खरिद एवं जडान गर्नुपर्ने भएको हुदा संलग्न स्पेशिफिकेशन र BOQ बमोजिमका सामाग्रीहरू आपूर्ति गर्न ईच्छुक फर्म, सप्लायर्स वा आपूर्तिकर्ताहरूले बजार मुल्यमा फरक नपर्ने गरी मिति २०८३।०३।०२ गते १२ वजे भित्र स्वीकृत स्पेशिफिकेशन तथा BOQ पेश गर्न सूचीकृत सबै आपूर्तिकर्ताहरूको जानकारीका लागि यो सूचना गरिएको छ ।

सूचीकृत नभएका आपूर्तिकर्ताहरूले समेत उल्लेखित मिति भित्र नियमानुसार सूचीकृत गरी दररेट पेश गर्न सकिने समेत यसै सूचना द्वारा सूचित गरिएको छ ।

संलग्न गर्नुपर्ने कागजातहरू :

१. फर्म दर्ता प्रमाण पत्रको प्रतिलिपि ।
२. पान दर्ता प्रमाण पत्रको प्रतिलिपि ।
३. करचुक्ताको प्रमाण पत्रको प्रतिलिपि ।
४. दमक नगरपालिका क्षेत्रमा व्यवसाय गर्ने आपूर्तिकर्ताहरूको हकमा चालु आ.व.को व्यवसाय दर्ता नबिकरणको प्रतिलिपि ।
५. सूची दर्ता प्रमाण पत्रको प्रतिलिपि ।

बोधार्थ :

श्री सूचना प्रविधि शाखा (नगरपालिकाको वेबसाइट तथा फेसबुक पेजमा अपलोड गर्नुहुन ।)

सुनिता निरौला
प्रमुख प्रशासकीय अधिकृत



सुनिल निरौला
प्रमुख प्रशासकीय अधिकृत

दमक नगरपालिका
दमक नगरपालिकाको कार्यालय
दमक, झापा
कोशी प्रदेश, नेपाल

आ.व. २०८२/०८३

दहाल प्रतिष्ठानको लागि AC and Washing Machine BOQ

SN	Item Name	Unit	Quantity	Rate	Total Cost
1	AC 1 Ton Inverter Split Air Conditioner with Outdoor Unit , Wall Mount Bracket, min 3m Inlet and Outlet Copper Pipe Set	Pcs	6		
2	AC 1.5 Ton Inverter Split Air Conditioner with Outdoor Unit , Wall Mount Bracket, min 3m Inlet and Outlet Copper Pipe Set	pcs	1		
3	9 Kg Front Load Washing Machine	pcs	1		
4	2.5 Sqmm PVC wire (90 m coil)	coil	2		
5	16 Amp SP MCB ISI	Pcs	7		
6	Cable Clips,, Nails, , All Complete Works Including Installation	ls	1		
7	Power Socket with PVC Box	pcs	6		
A	Total (Excluding VAT)				
B	13% VAT				
C	Grand Total				
	Submitted By:				
	Signature				
	Name of Firm				
	Seal of Firm				



सुबिला निरीला
FY 2081-082
प्रमुख प्रशिक्षक अधिकृत

1.5 Ton DC Inverter Split Type Wall mounted Air Conditioner			Firm Compliance	Remarks
Feature	Specification			
Country of Origin	To be specified by Bidder			
Manufacture and Brand	To be specified by Bidder			
Model No of Indoor Unit	To be specified by Bidder			
Model No of Outdoor Unit	To be specified by Bidder			
Compressor Manufacturer Name	To be specified by Bidder			
Compressor Brand Name	To be specified by Bidder			
Model No of Compressor	To be specified by Bidder			
Type	Wall Mount DC Inverter			
Function	Cooling & Heating			
Standard Test Condition	Cooling : Outdoor: DBT 35 degree C / WBT 24 degree C, Indoor: DBT 27 degree C / WBT 19 degree C Heating : Outdoor: DBT 7 degree C / WBT 6 degree C, Indoor: DBT 20 degree C / WBT 15 degree C			
Operating Range	Cooling: ≥ 16 to ≤ 30 degree C, Heating: ≥ 16 to ≤ 30 degree C			
Fan Speed	min 3 Step			
Capacity	Btu/Hr	Greater than 17500		
Cooling Capacity Standard	W	5100 or Better		
Heating Capacity Standard	W	5100 or better		
Power Input Standard Cooling	W	Less or equal to 1780W,		
Maximum Power Input Cooling	W	Less or Equal to 2500		
Power Input Standard Heating	W	Less or Equal to 1850 W		
Maximum Power Input Heating	W	Less or Equal to 2500 W		
EER Cooling	BTU/Hr/W	10 or better		
COP	W/W	3.5 or better		
Moisture Removal	L/h	1.2		
Air Circulation (Indoor/Hi)	m3/min	15		
Noise Level Outdoor	[dB-A]	Less than 57		
Noise Level Indoor	[dB-A]	Less than 48		
Refrigerant Pipe Diameter				
Liquid Side	mm (inch)	Company Stanadard		
Gas Side	mm (inch)	Company Standard		
Operation Conditions	Outdoor Temperature	-5-46 °C		

[Handwritten Signature]



सुनिल निरीला
प्रमुख प्रशासकीय अधिकृत

Operation Conditions	Outdoor Temperature	-5-46 °C		
	Voltage	220 V (1 Phase)		
	Frequency	50 Hz		
Refrigerant Gas		R410a or R32 or similar		
Condenser Type	Air cooled Condenser with, DC inverter Compressor,			
Features	Eco Function,			
Warranty	2 year Service (AC inspection and Free cleaning service (Air filter, Coils, Fins) in every 6 months for 2 years. and Comprehensive warranty (Covers repairs, rectification or replacement of components including the IDU or ODU, IDU Evaporator Coil, ODU condenser Coil, Gas charging) and min 5 years on compressor			
Certificate	ISO 9001 certified company. IAF Accredited Certifying Orgaization			
Documentation	Specification must be verifiable from OEM website by brand and model number or must submit the valid catalogue from the manufacture. The catalogue must clearly show the specified Specification.			



सुनिल निरोला
FY: 2022-23
अधिकृत

1 Ton DC Inverter Split Type Wall mounted Air Conditioner			Firm Compliance	Remarks
Feature	Specification			
Country of Origin	To be specified by Bidder			
Manufacture and Brand	To be specified by Bidder			
Model No of Indoor Unit	To be specified by Bidder			
Model No of Outdoor Unit	To be specified by Bidder			
Compressor Manufacturer Name	To be specified by Bidder			
Compressor Brand Name	To be specified by Bidder			
Model No of Compressor	To be specified by Bidder			
Type	Wall Mount DC Inverter			
Function	Cooling & Heating			
Standard Test Condition	Cooling : Outdoor: DBT 35 degree C / WBT 24 degree C, Indoor: DBT 27 degree C / WBT 19 degree C Heating : Outdoor: DBT 7 degree C / WBT 6 degree C, Indoor: DBT 20 degree C / WBT 15 degree C			
Operating Range	Cooling: ≥ 16 to ≤ 30 degree C, Heating: ≥ 16 to ≤ 30 degree C			
Fan Speed	min 3 Step			
Capacity	Btu/Hr	Greater than 11900		
Cooling Capacity Standard	W	3500 or Better		
Heating Capacity Standard	W	3500 or better		
Power Input Standard Cooling	W	Less or equal to 1150W,		
Maximum Power Input Cooling	W	Less or Equal to 1650 W		
Power Input Standard Heating	W	Less or Equal to 1150 W		
Maximum Power Input Heating	W	Less or Equal to 1500 W		
EER Cooling	BTU/Hr/W	10 or better		
COP	W/W	3.5 or better		
Moisture Removal	L/h	1		
Air Circulation (Indoor/Hi)	m3/min	10		
Noise Level Outdoor	[dB-A]	Less than 57		
Noise Level Indoor	[dB-A]	Less than 45		
Refrigerant Pipe Diameter				
Liquid Side	mm (inch)	Company Stanadard		
Gas Side	mm (inch)	Company Standard		



सुनिल निरौला
प्रमुख प्रशासकीय अधिकृत

	Voltage	220 V (3 Phase)		
	Frequency	50 Hz		
Refrigerant Gas		R410a or R32 or similar		
Condenser Type	Air cooled Condenser with, DC inverter Compressor, Multispeed condenser fan and golden finned copper condenser.			
Features	Eco Function, Horizontal and Vertical Auto Swing Louver, Indoor Unit Evaporator should be made of Aluminum Fin or better with a copper tube.			
Warranty	2 year Service (AC inspection and Free cleaning service (Air filter, Coils, Fins) in every 6 months for 2 years. and Comprehensive warranty (Covers repairs, rectification or replacement of components including the IDU or ODU, IDU Evaporator Coil, ODU condenser Coil, Gas charging) and min 5 years on compressor			
Certification	ISO 9001 certified company. IAF Accredited Certifying Orgaization			
Documentation	Specification must be verifiable from OEM website by brand and model number or must submit the valid catalogue from the manufacture. The catalogue must clearly show the specified Specification.			

Washing Machine Front Load 9 Kg		
Feature	Specification	Bidders Compliance(Fully Compliant, Partially Compliant, Non Compliant)
Country of Origin	To be specified by Bidder	
Manufacturer	To be specified by Bidder	
Brand	Samsung, LG , CG	
Model No	To be specified by Bidder	
Capacity	9Kg	
Type	Front load	
Power Supply	220-240, 50Hz	
Power Supply	Less than 2500W	
Maximum Spin Speed	1400 rpm	
Door Lock	Electronic	
Motor	Digital Inverter Motor	
Energy Saving	70% Energy Saving	
Features	Quick Wash, Child Lock, WIFI Embedded Smart Technology, Drum Clean, AI Control, Swirl Drum,	
Warranty	10 years on Motor, 1 year Comprehensive	